

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM

Search PubMed ☒ for modified base is 5-methylcytosine Go Clear

Limits Preview/Index History Clipboard

Display Summary ☐ Save Text Order Details Add to Clipboard

Show: 20 ☐ Items 21-40 of 70 Page 2 of 4 Select page: 1 2 3 4

Selected: 2

NEW

☐ **21:** Shen JC, Rideout WM 3rd, Jones PA.

Related Ar

The rate of hydrolytic deamination of 5-methylcytosine in double-stranded DNA.  
Nucleic Acids Res. 1994 Mar 25;22(6):972-6.  
PMID: 8152929 [PubMed - indexed for MEDLINE]

☐ **22:** Bentivegna SS, Bresnick E.

Related Ar

Inhibition of human O6-methylguanine-DNA methyltransferase by 5-methylcytosine.  
Cancer Res. 1994 Jan 15;54(2):327-9.  
PMID: 8275462 [PubMed - indexed for MEDLINE]

☐ **23:** Jaishree TN, Wang AH.

Related Ar

Conformations of the alternating (C-T)<sub>n</sub> sequence under neutral and low pH.  
FEBS Lett. 1994 Jan 10;337(2):139-44.  
PMID: 8287968 [PubMed - indexed for MEDLINE]

☐ **24:** Ralph D, Que Q, Van Etten JL, McClelland M.

Related Ar

Leptospira genomes are modified at 5'-GTAC.  
J Bacteriol. 1993 Jun;175(12):3913-5.  
PMID: 8509345 [PubMed - indexed for MEDLINE]

☐ **25:** Williamson MR, Doherty JP, Woodcock DM.

Related Ar

Modified-cytosine restriction-system-induced recombinant cloning artefacts in Escherichia coli.  
Gene. 1993 Feb 14;124(1):37-44.  
PMID: 8382656 [PubMed - indexed for MEDLINE]

☐ **26:** Rideout WM 3rd, Coetzee GA, Olumi AF, Spruck CH, Jones PA.

Related Ar

5-Methylcytosine as an endogenous mutagen in the p53 tumor suppressor gene.  
Princess Takamatsu Symp. 1991;22:207-19. Review.  
PMID: 1844242 [PubMed - indexed for MEDLINE]

☐ **27:** Labbe D, Holtke HJ, Lau PC.

Related Articles, Protein, Nucleic

Cloning and characterization of two tandemly arranged DNA methyltransferase genes of Neisseria lactamica: an adenine-specific M.NlaIII and a cytosine-type methylase  
Mol Gen Genet. 1990 Oct;224(1):101-10.  
PMID: 2277628 [PubMed - indexed for MEDLINE]

☐ **28:** Dila D, Sutherland E, Moran L, Slatko B, Raleigh EA.

Related Articles, Protein, Nucleic

Genetic and sequence organization of the mcrBC locus of Escherichia coli K-12.  
J Bacteriol. 1990 Sep;172(9):4888-900.  
PMID: 2203735 [PubMed - indexed for MEDLINE]

☐ **29:** Kobayashi H, Ngernprasirtsiri J, Akazawa T. Related Ar

Transcriptional regulation and DNA methylation in plastids during transitional conversion of chloroplasts to chromoplasts.  
EMBO J. 1990 Feb;9(2):307-13.  
PMID: 2303026 [PubMed - indexed for MEDLINE]

☐ **30:** Farrance IK, Ivarie R. Related Ar

Synthesis of N7-ethyldeoxyguanosine 5'-triphosphate and placement of N7-ethylguanine in a specific site in a synthetic oligodeoxyribonucleotide.  
Anal Biochem. 1989 May 15;179(1):60-5.  
PMID: 2667393 [PubMed - indexed for MEDLINE]

☐ **31:** Davie JR, Delcuve GP. Related Ar

Bovine thymus satellite I DNA sequences, which are highly methylated, are preferentially located in H1-rich chromatin.  
Biochem Cell Biol. 1988 Apr;66(4):256-61.  
PMID: 3401376 [PubMed - indexed for MEDLINE]

☐ **32:** Barciszewska M, Barciszewski J. Related Articles, Nucle

Yellow lupin cytoplasmic tRNAGlu is not a cofactor in chlorophyll biosynthesis.  
Mol Biol Rep. 1988;13(1):11-4.  
PMID: 3419430 [PubMed - indexed for MEDLINE]

☒ **33:** Brown TC, Jiricny J. Related Ar

A specific mismatch repair event protects mammalian cells from loss of 5-methylcytosine.  
Cell. 1987 Sep 11;50(6):945-50.  
PMID: 3040266 [PubMed - indexed for MEDLINE]

☐ **34:** Ross TK, Achberger EC, Braymer HD. Related Ar

Characterization of the Escherichia coli modified cytosine restriction (mcrB) gene.  
Gene. 1987;61(3):277-89.  
PMID: 2833428 [PubMed - indexed for MEDLINE]

☐ **35:** Korch C, Hagblom P. Related Ar

In-vivo-modified gonococcal plasmid pJD1. A model system for analysis of restriction enzyme sensitivity to DNA modifications.  
Eur J Biochem. 1986 Dec 15;161(3):519-24.  
PMID: 3024974 [PubMed - indexed for MEDLINE]

☐ **36:** Raleigh EA, Wilson G. Related Ar

Escherichia coli K-12 restricts DNA containing 5-methylcytosine.  
Proc Natl Acad Sci U S A. 1986 Dec;83(23):9070-4.  
PMID: 3024165 [PubMed - indexed for MEDLINE]

☐ **37:** Strobel MC, Abelson J. Related Articles, Nucle

Effect of intron mutations on processing and function of Saccharomyces cerevisiae

SUP53 tRNA in vitro and in vivo.  
Mol Cell Biol. 1986 Jul;6(7):2663-73.  
PMID: 3537724 [PubMed - indexed for MEDLINE]

☐ **38:** [Brennan CA, Van Cleve MD, Gumport RI.](#)

Related Ar

The effects of base analogue substitutions on the methylation by the EcoRI modification methylase of octadeoxyribonucleotides containing modified EcoRI recognition sequences.

J Biol Chem. 1986 Jun 5;261(16):7279-86.  
PMID: 3011781 [PubMed - indexed for MEDLINE]

☐ **39:** [Brennan CA, Van Cleve MD, Gumport RI.](#)

Related Ar

The effects of base analogue substitutions on the cleavage by the EcoRI restriction endonuclease of octadeoxyribonucleotides containing modified EcoRI recognition sequences.

J Biol Chem. 1986 Jun 5;261(16):7270-8.  
PMID: 3011780 [PubMed - indexed for MEDLINE]

☐ **40:** [Sladek TL, Nowak JA, Maniloff J.](#)

Related Ar

Mycoplasma restriction: identification of a new type of restriction specificity for D containing 5-methylcytosine.

J Bacteriol. 1986 Jan;165(1):219-25.  
PMID: 3001023 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Save	Text	Order	Details	Add to Clipboard
Show:	20	▼	Items 21-40 of 70		Page 2 of 4		Select page: 1

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

PMID: 8031901 [PubMed - indexed for MEDLINE]

- ☐ 28: Sobol RW, Fisher WL, Reichenbach NL, Kumar A, Beard WA, Wilson SH, Charubala R, Pfeleiderer W, Suhadolnik RJ.

Related Ar

HIV-1 reverse transcriptase: inhibition by 2',5'-oligoadenylates.

Biochemistry. 1993 Nov 16;32(45):12112-8.

PMID: 7692966 [PubMed - indexed for MEDLINE]

- ☐ 29: Giannaris PA, Damha MJ.

Related Ar

Oligoribonucleotides containing 2',5'-phosphodiester linkages exhibit binding selectivity for 3',5'-RNA over 3',5'-ssDNA.

Nucleic Acids Res. 1993 Oct 11;21(20):4742-9.

PMID: 7694233 [PubMed - indexed for MEDLINE]

- ☒ 30: Ghosh MK, Ghosh K, Cohen JS.

Related Ar

Phosphorothioate-phosphodiester oligonucleotide co-polymers: assessment for antisense application.

Anticancer Drug Des. 1993 Feb;8(1):15-32.

PMID: 8386513 [PubMed - indexed for MEDLINE]

- ☒ 31: Dobbs ST, Cullis PM, Maxwell A.

Related Ar

The cleavage of DNA at phosphorothioate internucleotidic linkages by DNA gyrase

Nucleic Acids Res. 1992 Jul 25;20(14):3567-73.

PMID: 1322526 [PubMed - indexed for MEDLINE]

- ☒ 32: Gao WY, Han FS, Storm C, Egan W, Cheng YC.

Related Ar

Phosphorothioate oligonucleotides are inhibitors of human DNA polymerases and RNase H: implications for antisense technology.

Mol Pharmacol. 1992 Feb;41(2):223-9.

PMID: 1371582 [PubMed - indexed for MEDLINE]

- ☐ 33: Iversen P.

Related Ar

In vivo studies with phosphorothioate oligonucleotides: pharmacokinetics prologue

Anticancer Drug Des. 1991 Dec;6(6):531-8. Review.

PMID: 1772568 [PubMed - indexed for MEDLINE]

- ☐ 34: Bjergaard K, Dahl O.

Related Ar

Solid phase synthesis of oligodeoxyribonucleoside phosphorodithioates from thiophosphoramidites.

Nucleic Acids Res. 1991 Nov 11;19(21):5843-50.

PMID: 1945874 [PubMed - indexed for MEDLINE]

- ☒ 35: Agrawal S, Temsamani J, Tang JY.

Related Ar

Pharmacokinetics, biodistribution, and stability of oligodeoxynucleotide phosphorothioates in mice.

Proc Natl Acad Sci U S A. 1991 Sep 1;88(17):7595-9.

PMID: 1881900 [PubMed - indexed for MEDLINE]

- ☐ 36: Mag M, Luking S, Engels JW.

Related Ar

Synthesis and selective cleavage of an oligodeoxynucleotide containing a bridged internucleotide 5'-phosphorothioate linkage.

§ "

Nucleic Acids Res. 1991 Apr 11;19(7):1437-41.  
PMID: 2027751 [PubMed - indexed for MEDLINE]

☐ 37: Slim G, Gait MJ.

Related Ar

Configurational defined phosphorothioate-containing oligoribonucleotides in the study of the mechanism of cleavage of hammerhead ribozymes.

Nucleic Acids Res. 1991 Mar 25;19(6):1183-8.  
PMID: 1709484 [PubMed - indexed for MEDLINE]

☒ 38: Agrawal S, Zamecnik PC.

Related Ar

Site specific functionalization of oligonucleotides for attaching two different reporter groups.

Nucleic Acids Res. 1990 Sep 25;18(18):5419-23.  
PMID: 2216715 [PubMed - indexed for MEDLINE]

☐ 39: Griep MA, Reems JA, Franden MA, McHenry CS.

Related Ar

Reduction of the potent DNA polymerase III holoenzyme 3'----5' exonuclease activity by template-primer analogues.

Biochemistry. 1990 Sep 25;29(38):9006-14.  
PMID: 2176842 [PubMed - indexed for MEDLINE]

☐ 40: Williams LD, Egli M, Qi G, Bash P, van der Marel GA, van Boom JH, Rich A, Frederick CA.


Related Articles, Nucleotide, Struc

Structure of nogalamycin bound to a DNA hexamer.

Proc Natl Acad Sci U S A. 1990 Mar;87(6):2225-9.  
PMID: 2315315 [PubMed - indexed for MEDLINE]

Display	Summary	Save	Text	Order	Details	Add to Clipboard
Show:	20	Items 21-40 of 45	Page 2 of 3	Select page:	1	

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)



PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM

Search PubMed ☒ for oligonucleotides with phosphorothioate linkage Go Clear

Limits Preview/Index History Clipboard

Display Summary ☒ Save Text Order Details Add to Clipboard

Show 20 ☒ Items 41-45 of 45 Page 3 of 3 Select page 1

Selected: 1

NEW

- ☐ **41:** de Vroom E, Fidder A, Saris CP, van der Marel GA, van Boom JH.

Related Ar

Preparation of the individual diastereomers of adenylyl-(2'-5')-P-thioadenylyl-(2'-5')-adenosine and their 5'-phosphorylated derivatives.

Nucleic Acids Res. 1987 Dec 10;15(23):9933-43.

PMID: 3697086 [PubMed - indexed for MEDLINE]

- ☐ **42:** Eppstein DA, Schryver BB, Marsh YV.

Related Ar

Stereoconfiguration markedly affects the biochemical and biological properties of phosphorothioate analogs of 2-5A core, (A2'p5')2A.

J Biol Chem. 1986 May 5;261(13):5999-6003.

PMID: 3009440 [PubMed - indexed for MEDLINE]

- ☐ **43:** Taylor JW, Ott J, Eckstein F.

Related Ar

The rapid generation of oligonucleotide-directed mutations at high frequency using phosphorothioate-modified DNA.

Nucleic Acids Res. 1985 Dec 20;13(24):8765-85.

PMID: 3001650 [PubMed - indexed for MEDLINE]

- ☐ **44:** Lee C, Suhadolnik RJ.

Related Ar

2',5'-Oligoadenylates chiral at phosphorus: enzymatic synthesis, properties, and biological activities of 2',5'-phosphorothioate trimer and tetramer analogues synthesized from (SP)-ATP alpha S.

Biochemistry. 1985 Jan 29;24(3):551-5.

PMID: 3994975 [PubMed - indexed for MEDLINE]

- ☐ **45:** Connolly BA, Potter BV, Eckstein F, Pingoud A, Grotjahn L.

Related Ar

Synthesis and characterization of an octanucleotide containing the EcoRI recognition sequence with a phosphorothioate group at the cleavage site.

Biochemistry. 1984 Jul 17;23(15):3443-53.

PMID: 6087894 [PubMed - indexed for MEDLINE]

Display Summary ☒ Save Text Order Details Add to Clipboard

Show 20 ☒ Items 41-45 of 45 Page 3 of 3 Select page 1

Write to the Help Desk  
NCBI | NLM | NIH

Department of Health & Human Services  
Freedom of Information Act | Disclaimer